

Bayer Professional Care

Tempo® Ultra WP

*Outside applicator
from time to time*

FEB 26 2019

Insecticide**Wettable Powder**

For Pest Management Professionals and commercial use only.

For broad-spectrum control of crawling, flying, and wood-infesting insect pests for indoor and outdoor surfaces, as well as insect pests of trees, landscape ornamentals and residential and commercial lawns.

ACTIVE INGREDIENT:

β-Cyfluthrin,

cysno(4-fluoro-3-phenoxyphenyl)methyl 3-(2,2-dichloroethyl)-2,2-dimethylcyclopropane-carboxylate

10%

OTHER INGREDIENTS: 90%

100%

EPA Reg. No. 3125-390

Six 420 Gram Jars Per Case

STOP - Read the label before use.
Keep out of reach of children.

CAUTION**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Avoid breathing dust or spray mist. Wash thoroughly with soap and warm water after handling. Remove contaminated clothing and wash before reuse.

Wear safety glasses, goggles, or face shield when handling the undiluted material and wear a respirator when making general surface overhead treatments indoors.

Do not allow children or pets to enter treated areas until surfaces are dry.

FIRST AID

If on skin	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15 to 20 minutes. - Call a poison control center or doctor for treatment advice.
If inhaled	- Move person to fresh air. - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. - Call a poison control center or doctor for further treatment advice.
If in eyes	- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for treatment advice.
If swallowed	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by a poison control center or doctor. - Do not give anything to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. The Bayer Kansas City Emergency Response Telephone No. is 800-414-0244.

Note To Physician: No specific antidote is available. Treat the patient symptomatically.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Remove from premises or tightly cover fish tanks and disconnect aerators when applying indoors where such containers are present. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply TEMPO ULTRA WP Insecticide or allow it to drift onto crops or weeds on which bees are actively foraging. Additional information may be obtained by consulting your Cooperative Extension Service.



MATERIAL SAFETY DATA SHEET

BAYER CORPORATION
AGRICULTURE DIVISION
P.O. Box 4913 Hawthorn Road
Kansas City, MO 64120-001

TRANSPORTATION EMERGENCY:
CALL CHEMTREC: (800) 424-9300
DISTRICT OF COLUMBIA: (202) 483-7616

NON-TRANSPORTATION:
BAYER EMERGENCY PHONE: (800) 414-0244
BAYER INFORMATION PHONE: (800) 842-8020

1. CHEMICAL PRODUCT IDENTIFICATION:

PRODUCT NAME: BAYER PROFESSIONAL CARE TEMPO Ultra WP
 Insecticide Wettable Powder
PRODUCT CODE: 21632
CHEMICAL FAMILY: Pyrethroid Insecticide
CHEMICAL NAME: Cyano(4-fluoro-3-phenoxyphenyl)methyl 3-(2,2-dichloro-ethenyl)-2,2-dimethylcyclopropanecarboxylate
SYNONYMS: beta-Cyfluthrin
FORMULA: C₂₂ H₁₈ Cl₂ F N O₃
PRODUCT USE: Commercial Insecticide

2. COMPOSITION/INFORMATION ON INGREDIENTS:

INGREDIENT NAME

/CAS NUMBER	EXPOSURE LIMITS	CONCENTRATION (%)
***** HAZARDOUS INGREDIENTS *****		

FCR 4545 Technical

68358-37-5	OSHA : Not Established ACGIH: Not Established	10%
------------	--	-----

Ingredient 1968

Specific chemical identity is withheld as a trade secret.

OSHA : Not Established ACGIH: Not Established	3-5%
--	------

Total crystalline silica (quartz)

14808-60-7	OSHA : .10 mg/m ³ TWA (respirable) ACGIH: .10 mg/m ³ TWA (respirable)	<1 - 7.5%
------------	--	-----------

3. HAZARDS IDENTIFICATION:

EMERGENCY OVERVIEW

CAUTION:

Color: Tan; **Form:** Powder; **Odor:** Slightly aromatic; Harmful if inhaled; Harmful if absorbed through skin; Causes eye irritation; Harmful if swallowed.

POTENTIAL HEALTH EFFECTS:

ROUTE(S) OF ENTRY: Inhalation; Skin Contact; Skin Absorption; Eye Contact

HUMAN EFFECTS AND SYMPTOMS OF OVEREXPOSURE:

ACUTE EFFECTS OF EXPOSURE: Skin and mucous membrane irritation may occur from contact with the product and produce symptoms such as itching, stinging, skin reddening or rash. Paresthesia (a tingling or burning sensation on the surface of the skin) may also result from skin contact

HAZARDS IDENTIFICATION Continued:

ACUTE EFFECTS OF EXPOSURE (continued):

These are frequently reported symptoms associated with sufficient dermal exposure to alpha-cyano (Type II) synthetic pyrethroids and normally subside without treatment within 24 hours. The onset of these symptoms usually occurs 2-12 hours after exposure. The effects are temporary and are reversible. Based on the EPA Toxicity Category criteria, this material is mildly toxic by the oral and dermal routes of exposure. In addition, animal studies have shown that it can cause mild irritation to the conjunctiva of the eye with all irritation resolving within 7 days.

CHRONIC EFFECTS OF EXPOSURE: Based on animal studies, no adverse effects or symptoms would be expected from chronic exposure to the active ingredient in this product during normal use. This product may contain an amount of total crystalline silica which ranges from less than 1% to approximately 7%. However, the amount of respirable crystalline silica is expected to be significantly lower based on data provided by the raw material manufacturer. Excessive long-term exposure to respirable crystalline silica may cause silicosis, a form of progressive pulmonary fibrosis. Severe and permanent lung damage may result.

CARCINOGENICITY: This product is not listed as a carcinogen by NTP or IARC, or regulated as a carcinogen by OSHA. However, it may contain crystalline silica (quartz), a substance which is classified by NTP as a Group 2 carcinogen and by IARC as a Group 1 carcinogen. Crystalline silica is a naturally-occurring mineral component of many sands and clays. Although controversial, the carcinogenic potential of crystalline silica must be considered if it is inhaled under excessive exposure conditions. However, the respirable portion of the silica which may be contained in this product is small, such that excessive inhalation exposure during normal conditions of use is unlikely.

NTP: Crystalline silica is classified as an NTP Anticipated Human Carcinogen - "Substances or groups of substances that may reasonably be anticipated to be carcinogens."

IARC: IARC has classified crystalline silica as a Group 1 carcinogen. "There is sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica (quartz) from occupational sources."

OSHA: Not regulated

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: No specific medical conditions are known which may be aggravated by exposure to the active ingredient in this product. As with all materials which can cause upper respiratory tract irritation, persons with a history of asthma, emphysema, or hyperreactive airways disease may be more susceptible to a response at low concentration. In addition, pulmonary and respiratory diseases may be aggravated by exposure to respirable crystalline silica.