

DuPont "Teflon" Pure Silicone Lubricant - Aerosol

Version 2.0

Revision Date 15.09.2005

Ref. 130000027430

This SDS adheres to the standards and regulatory requirements of Australia and may not meet the regulatory requirements in other countries.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product information

Trade name

DuPont "Teflon" Pure Silicone Lubricant - Aerosol

Use of the Company

Substance/Preparation

1 Du Pont (Australia) Ltd

168 Walker Street

North Sydney NSW 2060

Australia

Telephone

(02) 9923 6111

Telefax

(02) 9923 6011

Emergency telephone

(02) 9963 1301 (Transport Emergency)

number

(24 hr Medical Emergency Hotline: 1800 674 415)

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical Name	CAS-No.	Concentration
Naphtha (petroleum), hydrotreated light	64742-49-0	15 - 25%
Distillates (petroleum), hydrogen treated light; Kerosine - unspecified Propane	64742-47-8	25 - 35%
	74-98-6	10 - 20%
Butane	106-97-8	10 - 20%
Dimethylpolysiloxan	63148-62-9	8 - 10%
DuPont "Teflon" Polytetrafluoroethylene		1 - 2%

3. HAZARDS IDENTIFICATION

Hazardous classification

Classified as dangerous goods according to the ADG Code Classified as hazardous according to criteria of NOHSC.

Risks

Highly flammable.

Harmful: may cause lung damage if swallowed,

Safety data

Keep container in a well-ventilated place.

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

In case of fire, use sand, dry chemical or alcohol-resistant foam.

This material and/or its container must be disposed of as hazardous waste.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

1/6



DuPont "Teflon" Pure Silicone Lubricant - Aerosol

Version 2.0

Revision Date 15.09.2005

Ref. 130000027430

4. FIRST AID MEASURES

Inhalation : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Call a physician immediately.

Skin contact : In case of contact, immediately flush skin with soap and plenty of water. Wash

contaminated clothing before reuse.

Eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15

minutes. Call a physician immediately.

Ingestion Do not induce vomiting. If conscious, give 2 glasses of water. Get immediate

medical attention. Never give anything by mouth to an unconscious person.

Notes to physician

Risks Risk of product entering the lungs on vomiting after ingestion.

Treatment Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

Note: To prepare activated charcoal slurry, mix thoroughly 50 g of activated

charcoal in 400 ml (about 2 cups) water.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective

equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Avoid c

Avoid contact with skin, eyes and clothing. Remove all sources of ignition.

Ensure adequate ventilation. Use personal protective equipment.

Methods for cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g.

sand, earth, diatomaceus earth, vermiculite) and place in container for disposal

according to local / national regulations (see section 13).

7. HANDLING AND STORAGE

Handling

Advice on safe handling Avoid inhalation of vapour or mist. Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothing before re-use.

Storage

Requirements for storage

areas and containers

Keep in a well-ventilated place. Keep away from direct sunlight. Keep away from

sources of ignition - No smoking.

2/6



DuPont "Teflon" Pure Silicone Lubricant - Aerosol

Version 2.0

Revision Date 15.09.2005

Ref. 130000027430

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components with workplace control parameters

Components	Values	Control parameters	Basis
Butane	TWA	(800 ppm)	ACGIH (2003)
	TWA	(1,000 ppm)	ACGIH (2004)
	TWA	1,900 mg/m3 (800 ppm)	AU OEL (2003)
Heptane	TWA	(400 ppm)	ACGIH (2004)
	STEL	(500 ppm)	ACGIH (2004)
	TWA	1,640 mg/m3 (400 ppm)	AU OEL (2003)
	STEL	2,050 mg/m3 (500 ppm)	AU OEL (2003)
Methylcyclohexane	TWA	1,610 mg/m3 (400 ppm)	AU OEL (2003)
	TWA	(400 ppm)	ACGIH (2004)

Engineering measures

Ensure adequate ventilation.

Personal protective equipment

Respiratory protection

: In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection

: Material: impervious gloves

Eye protection

💲 safety glasses tightly fitting safety goggles

Skin and body protection

impervious clothing long sleeved clothing apron

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

liquid

Colour

white

Odour

🔅 hydrocarbon-like , mild

Boiling point/range

92 - 100 °C

Flash point

-18 °C

3/6



DuPont "Teflon" Pure Silicone Lubricant - Aerosol

Version 2.0

Revision Date 15.09.2005

Ref. 130000027430

Vapour pressure

53 hPa at 20 °C

Density

: 0.6545 g/cm3

Water solubility

: insoluble

Relative vapour density

3.5

10. STABILITY AND REACTIVITY

Hazardous decomposition

products

No decomposition if stored and applied as directed.

Hazardous reactions

None reasonably foreseeable. Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Human experience

Excessive exposures may affect human health, as follows:

Inhalation: Upper respiratory tract: irritation, weakness, headache,

unconsciousness, drowsiness, nausea, fatality

Central nervous system: fatality

Skin contact: Skin: irritation, itching, redness, rash, swelling of tissue, frostbite,

burn

Eye contact: *Eyes*: blurred vision, discomfort, irritation Ingestion: *Lungs*: fever, drowsiness, shortness of breath

12. ECOLOGICAL INFORMATION

Further information on ecology

Additional ecological

: No data is available on the product itself...

information

13. DISPOSAL CONSIDERATIONS

Product

: In accordance with local and national regulations.

14. TRANSPORT INFORMATION

ADG

Proper shipping name

: AEROSOLS

Class

: 2.1

IMDG

4/6



DuPont "Teflon" Pure Silicone Lubricant - Aerosol

Version 2.0

Revision Date 15.09.2005

Ref. 130000027430

UN-No

Proper shipping name

1950

Class

AEROSOLS

Labelling No.

2.1 2.1

Marine pollutant

Further Information

Classified as dangerous goods according to the ADG Code

15. REGULATORY INFORMATION

Labelling

Symbol(s)

F Xn Highly flammable

Harmful

R-phrase(s)

R11

Highly flammable.

R65

Harmful: may cause lung damage if swallowed.

S-phrase(s)

S 9

Keep container in a well-ventilated place.

S16 S33 Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

S43

In case of fire, use sand, dry chemical or alcohol-resistant

S60 S62

This material and/or its container must be disposed of as hazardous waste.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Further information

Classified as hazardous according to criteria of NOHSC.

National regulatory information:

SUSDP

Schedule 5

16. OTHER INFORMATION

Sources of key data used to compile the datasheet:

- 1. National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011(2003)]
- 2. Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(1999)]
- 3. List of Designated Hazardous Substances [NOHSC:10005(1999)]
- 4. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]
- 5. Australian Dangerous Goods Code, No. 6 [National Road Transport Commission]
- 6. Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP), No. 19 [NDPSC: 2004]
- 7. National Code of Practice for the Labelling of Workplace Substances [NOHSC:2012(1994)]

Department:

Du Pont (Australia) Ltd 168 Walker Street North Sydney NSW 2060 Australia

5/6



DuPont "Teflon" Pure Silicone Lubricant - Aerosol

Version 2.0 Revision Date 15.09.2005

Ref. 130000027430

Further information:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

6/6